



# LOCAL NOTICE TO MARINERS

## JULY WEEKLY EDITION

NOTICE NUMBER 30/04  
July 27, 2004

NIS watchstander, 24 hours a day at (703) 313-5900

**\*\* INTERNET ADDRESS \*\***  
**<http://www.navcen.uscg.gov/lnm/d14/>**

ISSUED BY: Commander (oan)  
Fourteenth Coast Guard District  
300 Ala Moana Boulevard, 9-236  
Honolulu, HI 96850-4982  
Telephone: (808) 541-2316 Nights: (808) 541-2450 Fax: (808) 541-2309  
**Email: [D14LNM@d14.uscg.mil](mailto:D14LNM@d14.uscg.mil)**

Navigation information having been of immediate concern to the mariner, and promulgated by the following broadcasts, has been incorporated in this notice when still significant:

- ⇒ CCGD14 (D14) BNM's: 212-04 to 217-04
- ⇒ COGARD MARIANA SECTION (MARSEC) BNM's: 143-04 to 148-04

NOTES:

- (1) Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity. Mariners should proceed with caution.
- (2) The Local Notice to Mariners is published in its entirety once a month. The monthly edition should be retained as a reference for subsequently issued weekly supplements. The weekly supplements will be published in intervening weeks and will contain only new information with the exception of DISCREPANCIES-DISCREPANCIES CORRECTED section that is an accurate list maintained each week.

REFERENCES: Light List, Vol. VI, Pacific Coast and Pacific Islands, 2004 Edition (COMDTPUB P16502.6).  
U.S. Coast Pilot 7, Pacific Coast: California, Oregon, Washington, and Hawaii (36<sup>th</sup> Edition).

**REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT**

## SECTION I – SPECIAL NOTICES

This section contains information of special concern to the mariner.

### HI ISLANDS – HAWAI‘I – WAILOA RIVER SHOAL MARKER

An information mark with the words “DANGER” and “SHOAL” surrounded by an open diamond indicating a “danger” area and a flashing white light will be placed in the area of shoaling at the mouth of Wailoa River, Hilo Harbor, Hawai‘i, in the following position: 19-43-24N 155-04-15W. Mariners are advised to use caution when transiting the area.

### HI ISLANDS – OAHU – MAUNALUA BAY – SHOALING

Shoaling has been reported in Maunalua Bay in the vicinity of Maunalua Bay Daybeacon 1A (LLNR-28935) and Maunalua Bay Daybeacon 2 (LLNR-28940). All mariners are urged to use caution while transiting the area.

### HI ISLANDS – OAHU – OBSTRUCTIONS

Obstructions may be at or near the surface of the water within the security zone surrounding the Tesoro Single Point and the Chevron Conventional Buoy Moorings bound by the following coordinates: 21-16-25.8N, 158-6-01.8W; thence Northeast to 21-17-21.0N, 158-03-57.0W; thence Southeast to 21-16-28.2N, 158-03-30.0W; thence Southwest to 21-15-31.8N, 158-05-33.6W; thence North to the beginning point.

### MARIANAS ISLANDS – GUAM – DREDGING OPERATIONS

Dredging operations will be conducted in the vicinity of Romeo Wharf in Inner Apra Harbor from 02 June until 31 December 2004. The Outer limit of dredging will be marked by a red buoy. All mariners are advised to exercise caution and create no wake while transiting this area.

## SECTION II – DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

### Abbreviations normally used in the Local Notice to Mariners

BNM – Broadcast Notice to Mariners	TRLB – Temporarily Replaced by Lighted Buoy
LNM – Local Notice to Mariners	TRUB – Temporarily Replaced by Unlighted Buoy
IMPCHA – Improper Characteristics	TLB – Temporary Lighted Buoy
TUB – Temporary Unlighted Buoy	TDBN – Temporary Daybeacon
TLT – Temporary Light	INOP – Inoperative
REDINT – Reduced Intensity	EXT – Extinguished
OFFSTA – Off Station	

Shaded text denotes new discrepancy since last LNM.

### DISCREPANCIES: Federal Aids:

LLNR	Name of Aid	Status	Chart Affected (Largest Scale)	BNM Reference	LNM Reference
30357	Kwajalein-Roi Highway Channel Lighted Buoy 8	EXT	81711	015-04	30/04
30670	Agana Small Boat Basin Approach Range Rear Light	EXT	81048	145-04	30/04
30811	Agat Harbor Entrance Lighted Buoy AG	OFFSTA	81048	099-04	26/04
30811.1	Agat Small Boat Harbor Entrance LB 1	MISSING	81048	100-04	26/04
30855	Tanapag Harbor Approach Lighted Buoy T	OFFSTA	81076	113-04	25/04
30860	Okino Reef Buoy 1	MISSING	81076	106-04	27/04
30870	Tanapag Harbor Channel Lighted Buoy 2	OFFSTA / EXT	81067	105-04	27/04
30871	Tanapag Harbor Channel Lighted Buoy 2A	OFFSTA	81067	107-04	27/04
30885	Tanapag Harbor Channel Lighted Buoy 3	OFFSTA	81067	108-04	26/04
30910	Tanapag Harbor Channel Buoy 8	OFFSTA	81067	125-04	28/04
30915	Tanapag Harbor Channel Buoy 10	OFFSTA	81067	126-04	28/04
30920	Tinian Harbor Channel Lighted Buoy 1	OFFSTA / EXT	81071	111-04	27/04
30925	Tinian Harbor Channel Lighted Buoy 2	OFFSTA / EXT	81071	112-04	27/04
30930	Tinian Harbor Channel Lighted Buoy 3	OFFSTA	81071	129-04	28/04
30935	Tinian Harbor Channel Lighted Buoy 4	OFFSTA	81071	115-04	27/04
30945	Tinian Harbor Channel Buoy 6	OFFSTA	81071	131-04	28/04
	Kailua Kona CG Mooring Buoy	SINKING	19331	212-04	29/04

## SECTION II – DISCREPANCIES

(Cont.)

### DISCREPANCIES: Private Aids:

LLNR	Name of Aid	Status	Chart Affected (Largest Scale)	BNM Reference	LNM Reference
28546	Manele Small Boat Harbor Buoy 3	MISSING	19347	169-04	25/04
29110	Ala Wai Boat Harbor Channel Daybeacon 3	TRUB	19369		33/00
29115	Ala Wai Boat Harbor Channel Daybeacon 4	TRUB	19369		10/01
30811.3	Agat Small Boat Harbor Light 3	MISSING DAYBOARD	81048	101-04	26/04
30811.4	Agat Small Boat Harbor Light 4	MISSING DAYBOARD	81048	102-04	26/04
30811.6	Agat Small Boat Harbor Daybeacon 6	MISSING DAYBOARD	81048	103-04	26/04
30815	Mamaon Channel Lighted Buoy 1	MISSING	81048	104-04	26/04
	FAD Site F - Kailua Kona, Hawai'i	EXT	19327	159-04	24/04
	FAD Site KH - Kehena, Hawai'i	MISSING	19320	177-04	22/04
	FAD Site VV - Kahaluu, Hawai'i	OFFSTA	19320	196-04	28/04
	FAD Site XX - McGregor Point, Maui	MISSING	19320	163-04	24/04
	FAD Site ZZ - Waima Point, Hawai'i	MISSING	19320	140-04	19/04

**DISCREPANCIES CORRECTED: Federal Aids:** (None)

**DISCREPANCIES CORRECTED: Private Aids:** (None)

## SECTION III – TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to aids to navigation for this edition. When charted aids are temporarily relocated for dredging testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

**TEMPORARY CHANGES:** (None)

**TEMPORARY CHANGES CORRECTED:** (None)

## SECTION IV - CHART CORRECTIONS

Corrective action effecting charts is contained in this section. Chart Corrections are listed numerically by chart number beginning with the lowest and progressing through all charts affected. The correction listed pertains to that chart only.

AD YR	Astronomic Datum (Year)	NAD YR	North American Datum (Year)
BABSAD	BAB South Astro Datum	OHD	Old Hawaiian Datum
LD	Local Datum	GUAM YR	Guam Datum (Togcha)
WGS YR	World Geodetic System (Year)		

Corrective action effecting charts is contained in this section. Chart Corrections are listed numerically by chart number beginning with the lowest and progressing through all charts affected. The correction listed pertains to that chart only. *It is up to the mariner to decide which charts are to be corrected.* The following example explains the individual elements of a typical correction.

Chart Number ↓	Chart Edition ↓	Edition Date ↓	Last Local Notice to Mariners ↓	Horizontal Datum Reference ↓	Source of Correction ↓	Current Local Notice to Mariners ↓
19320	16Ed.	12/14/1996	LAST LNM 50/00	WGS 84	(CCGD 14)	24/02
	ISLAND OF HAWAI'I					
Change ↑	Coconut Point Directional Light to: F G 38ft 10M			at	19-43-36.800 N	155-05-10.200 W
Corrective Action	Object of Corrective Action				Position ↑	

## SECTION IV - CHART CORRECTIONS

(Cont.)

A chart correction followed by:

**(Temp)** indicates that it is temporary in nature.

**P** indicates that it is preliminary, and that permanent corrective action will appear in a future Local Notice to Mariners.

The letter **M** immediately following the chart number indicates that the correction should be applied to the metric side of the chart only.

Courses and bearings are given in degrees clockwise from 000° T. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles.

<b>540</b>	17 <sup>th</sup> Ed.	01/01/2004	LAST LNM 21/04	WGS 84	(CCGD 14)	30/04
	HI - HAWAI'IAN ISLANDS					
	Relocate	NOAA Data Lighted Buoy PICO from 20-30-00.000N 158-02-00.000W		to	20-30-09.800N	157-59-46.800W
		(Supersedes 21/04)				
	Change	NOAA Data Lighted Buoy PICO characteristics, Y "PICO" Fl Y 3s		at	20-30-09.800N	157-59-46.800W
		(Priv)				
		(Supersedes 21/04)				
	Add	NOAA DART Lighted Buoy, WR DART Fl Y 3s (Priv)		at	20-30-22.100N	157-54-42.500W
<b>19004</b>	37 <sup>th</sup> Ed.	01/01/2004	LAST LNM 24/04	NAD 83	(CCGD 14)	30/04
	HI - HAWAI'IAN ISLANDS					
	Relocate	NOAA Data Lighted Buoy PICO from 20-30-00.000N 158-02-00.000W		to	20-30-09.800N	157-59-46.800W
		(Supersedes 21/04)				
	Change	NOAA Data Lighted Buoy PICO characteristics, Y ODAS "PICO" Fl Y 3s (PA) (Priv)		at	20-30-09.800N	157-59-46.800W
		(Supersedes 21/04)				
	Add	NOAA DART Lighted Buoy, WR DART Fl Y 3s (PA) (Priv)		at	20-30-22.100N	157-54-42.500W
<b>19007</b>	18 <sup>th</sup> Ed.	03/01/2004	LAST LNM 21/04	WGS 84	(CCGD 14)	30/04
	HI - HAWAI'IAN ISLANDS - HAWAI'I TO FRENCH FRIGATE SHOALS					
	Relocate	NOAA Data Lighted Buoy PICO from 20-30-00.000N 158-02-00.000W		to	20-30-09.800N	157-59-46.800W
		(Supersedes 21/04)				
	Change	NOAA Data Lighted Buoy PICO characteristics, Y ODAS "PICO" Fl Y 3s (PA) (Priv)		at	20-30-09.800N	157-59-46.800W
		(Supersedes 21/04)				
	Add	NOAA DART Lighted Buoy, WR DART Fl Y 3s (PA) (Priv)		at	20-30-22.100N	157-54-42.500W
<b>19010</b>	18 <sup>th</sup> Ed.	02/01/2004	LAST LNM 18/04	WGS 84	(CCGD 14)	30/04
	HI - HAWAI'IAN ISLANDS - SOUTHERN PART					
	Add	NOAA DART Lighted Buoy, WR DART Fl Y 3s (PA) (Priv)		at	20-30-22.100N	157-54-42.500W
<b>19013</b>	17 <sup>th</sup> Ed.	02/01/2004	LAST LNM 24/04	WGS 84	(CCGD 14)	30/04
	HI - HAWAI'IAN ISLANDS - NORTHERN PART					
	Relocate	NOAA Data Lighted Buoy PICO from 20-30-00.000N 158-02-00.000W		to	20-30-09.800N	157-59-46.800W
		(Supersedes 21/04)				
	Change	NOAA Data Lighted Buoy PICO characteristics, Y ODAS "PICO" Fl Y 3s (PA) (Priv)		at	20-30-09.800N	157-59-46.800W
		(Supersedes 21/04)				
	Add	NOAA DART Lighted Buoy, WR DART Fl Y 3s (PA) (Priv)		at	20-30-22.100N	157-54-42.500W

## SECTION IV - CHART CORRECTIONS

(Cont.)

---

<b>19340</b>	26 <sup>th</sup> Ed.	12/02/2000	LAST LNM 21/04	WGS 84	(CCGD 14)	30/04
	HI – HAWAI‘I TO OAHU					
Relocate	NOAA Data Lighted Buoy PICO from 20-30-00.000N 158-02-00.000W		to	20-30-09.800N	157-59-46.800W	
	(Supersedes 21/04)					
Change	NOAA Data Lighted Buoy PICO characteristics,		at	20-30-09.800N	157-59-46.800W	
	Y ODAS “PICO” Fl Y 3s (PA) (Priv)					
	(Supersedes 21/04)					
Add	NOAA DART Lighted Buoy, WR DART Fl Y 3s (PA) (Priv)		at	20-30-22.100N	157-54-42.500W	

---

## SECTION V – ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc.

---

LLNR	Name of Aid	Action	Charts Affected
28180	Kailua Bay Entrance Directional Light	Lighting equipment changes to Kailua Bay Entrance Directional Light will result in a reduction of nominal range from 12NM to 9NM. Comments or questions may be directed to the Coast Guard at (808) 541- 2318.	19320, 19327, 19331

---

## SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the district office unless otherwise noted (see page 1 for address).

(None)

---

## SECTION VII – GENERAL

This section contains information of general concern to the mariner. Mariners are advised to use caution while transiting these areas.

### DEPARTMENT OF HOMELAND SECURITY- REPORTS OF SUSPICIOUS ACTIVITIES

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to their local Federal Bureau of Investigation (FBI) Joint Terrorism Task Force (JTTF) office, <http://www.fbi.gov/contact/fo/fo.htm>, or to other appropriate authorities. Individuals can contact the DHS watch and warning unit at (202) 323-3205, toll free at 1-(888) 585-9078, or by e-mail to [nipc.watch@fbi.gov](mailto:nipc.watch@fbi.gov). The U.S. Coast Guard reminds the maritime industry that they may also report information concerning suspicious activity to the National Response Center (NRC) at 1-(800) 424-8802.

### Marine Events:

This section contains information of general concern to the mariner. Mariners are advised to use caution while transiting these areas.

### HI ISLANDS – OAHU – FIREWORKS DISPLAY

The Hilton Hawai‘ian Village will be conducting a fireworks display in Waikiki on July 30, 2004 from 2000W – 2030W.

### HI ISLANDS - HAWAI‘I – FISHING TOURNAMENT

Huggo’s Restaurant will conduct “Huggo’s Na Pua O Ke Kai Wahune Tournament” fishing contest in the west Hawai‘i ocean waters on July 31, 2004 from 0700W-1800W.

### HI ISLANDS - HAWAI‘I – FISHING TOURNAMENT

Hilo Trollers will conduct “Hilo Trollers Tournament” fishing contest in the east Hawai‘i ocean waters on August 1, 2004 from 0500W – 1900W.

**Marine Events:** (Cont.)

**HI ISLANDS - HAWAI'I – FISHING TOURNAMENT**

Hawai'i Island Contractors' Association and Bank of Hawai'i will conduct "HICA/BOH Scholarship Trolling Tournament" fishing contest in the east Hawai'i ocean waters on August 1, 2004 from 0500W – 1900W.

**HI ISLANDS – MOLOKAI – PADDLE BOARD RACE**

The Epic Sports Foundation will conduct the "Quicksilver Edition Molokai – Oahu Paddle Board Race" in the waters of Kailua Koi, Molokai to Maunaloa Bay, Oahu on August 1, 2004 from 0700W – 1730W.

---

---

**SECTION VIII - LIGHT LIST CORRECTIONS VOLUME VI: PACIFIC COAST & PACIFIC ISLANDS 2004**

An Asterisk \*, indicates the column in which a correction has been made to new information.

---

(1) Number	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	LNM
28006.3	NOAA DART Lighted Buoy	20 30 22N 157 54 43W	FI Y 3s			Yellow.	Private aid.	30/04
*	*	*	*	*	*	*	*	*
28006.5	NOAA Data Lighted Buoy PICO	20 30 10N 157 59 47W	FI Y 3s			Yellow.	Private aid.	30/04
		*	*					*

---

---

**SECTION IX – ADDITIONAL ENCLOSURES**

---

(None)

---

---

END OF CCGD 14 LOCAL NOTICE TO MARINERS NO. 30/04

C. D. WURSTER  
Rear Admiral, U. S. Coast Guard  
Commander, Fourteenth Coast Guard District