



LOCAL NOTICE TO MARINERS

U.S. Department of Homeland Security United States Coast Guard



WEEKLY EDITION

March 30, 2004

Issued by:

Commander, Seventh Coast Guard District
909 SE 1st Avenue, Miami, Florida 33131-3050
Telephone (305) 415-6730
Fax (305) 415-6757
Office hours 7:30 a.m. - 4:00 p.m., M-F

BROADCAST NOTICE TO MARINERS

Navigation information having been of immediate concern to the Mariner, and promulgated by the following broadcasts, has been incorporated in this notice when still effective:

- CCGD7 (D7) BNM 524-04 to 542-04
- GROUP CHARLESTON (CHA) BNM 082-04 to 087-04
- GROUP MAYPORT (MAY) BNM 117-04 to 127-04
- GROUP MIAMI (MIA) BNM 115-04 to 116-04
- GROUP KEY WEST (KEY) BNM 056-04 to 059-04
- GROUP ST. PETERSBURG (STP) BNM 421-04 to 446-04
- SAN JUAN GANTSEC (GAN) BNM 075-04 to 085-04

NOTES:

- (1) Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity, mariners should proceed with caution.
- (2) The Local Notice to Mariners consists of a Monthly Edition and Weekly Supplemental. The Monthly Edition should be maintained as a reference. Recurring information is published only once a month.
- (3) To change your mailing address, start or discontinue receiving this publication, please call (305) 415-6751 or Email to d7lnm@d7uscg.mil

REFERENCES:

- Light List, Vol. III, Atlantic and Gulf Coasts, 2003 Edition (COMDTPUB P16502.3).
- U.S. Coast Pilot 4, Atlantic Coast: Cape Henry to Key West, 2003 (35th Edition).
- U.S. Coast Pilot 5, Atlantic Coast: Gulf of Mexico, Puerto Rico and Virgin Islands 2003 (30th Edition).

The Local Notice to Mariners is available online at:

<http://www.navcen.uscg.gov/lnm/d7>

The United States Coast Guard Navigation Information Service (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS, DGPS, and LORAN-C. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website:

<http://www.navcen.uscg.gov/gps/status/default.htm>. In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or LORAN service. Mariners are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, Email: webmaster@smtf.navcen.uscg.mil, or on the World Wide Web at: <http://www.navcen.uscg.gov>

REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

ABBREVIATION DEFINITIONS

ACOE -	Army Corps of Engineers	ADRIFT -	Buoy Adrift
AICW -	Atlantic Intracoastal Waterway	B -	Buoy
BKW -	Breakwater	B -	Refer to Light List (Pg. xiv)
BNM -	Broadcast Notice to Mariner	CG -	Refer to Light List (Pg. xv)
CHA -	Charleston, SC	CHAN -	Channel
CGD07 -	Coast Guard District Seven	CR -	Refer to Light List (Pg. xv)
C/O -	Cut Off	CONT -	Contour
CONSTR -	Construction	CRK -	Creek
CONST -	Construction	DBN -	Daybeacon
DBD/DAYBD -	Dayboard	DBN/DEST -	Daybeacon Destroyed
DBN IMCH -	Daybeacon Improper Characteristic	DISCON -	Discontinued
DMGD -	Daybeacon Damaged	EST -	Established Aid
EVAL -	Evaluation	EXT -	Extinguished
FL -	Flashing	F/S -	Fog Signal
GAN -	San Juan, PR	GICW -	Gulf Intracoastal Waterway
HAZ -	Hazard to Navigation	HBR -	Harbor
HOR -	Horizontal Clearance	HT -	Height
IMPCHA -	Improper Characteristics	INL -	Inlet
INOP -	Not Operating	ISL -	Islet
KBG -	Refer to Light List (Pg. xv)	KBG-I -	Refer to Light List (Pg. xv)
KBR -	Refer to Light List (Pg. xv)	KBR-I -	Refer to Light List (Pg. xv)
KBW -	Refer to Light List (Pg. xv)	KEY -	Key West, FL
KGB -	Refer to Light List (Pg. xv)	KGB-I -	Refer to Light List (Pg. xv)
KGR -	Refer to Light List (Pg. xv)	KGR-I -	Refer to Light List (Pg. xv)
KGW -	Refer to Light List (Pg. xv)	KGW-I -	Refer to Light List (Pg. xvi)
KRB -	Refer to Light List (Pg. xvi)	KRB-I -	Refer to Light List (Pg. xvi)
KRG -	Refer to Light List (Pg. xvi)	KRG-I -	Refer to Light List (Pg. xvi)
KRW -	Refer to Light List (Pg. xvi)	KWB -	Refer to Light List (Pg. xvi)
KWB-I -	Refer to Light List (Pg. xvi)	KWG -	Refer to Light List (Pg. xvi)
KWG-I -	Refer to Light List (Pg. xvi)	KWR -	Refer to Light List (Pg. xvi)
KWR-I -	Refer to Light List (Pg. xvi)	LAT -	Latitude
LB -	Lighted Buoy	LBB -	Lighted Bell Buoy
LGB -	Lighted Gong Buoy	LONG -	Longitude
LNM -	Local Notice to Mariners	LT -	Light
LT CONT -	Light Continuous	LWB -	Lighted Whistle Buoy
MAY -	Mayport, FL	MIA -	Miami, FL
MISS -	Missing	MR -	Refer to Light List (Pg. xvi)
MR-I -	Refer to Light List (Pg. xvi)	N/A -	Not Available
NB -	Refer to Light List (Pg. xvi)	N/C -	Not Charted
ND -	Refer to Light List (Pg. xvi)	NG -	Refer to Light List (Pg. xvi)
NIMA -	National Imagery and Mapping Agency	NL -	Refer to Light List (Pg. xvi)
NO -	Number	NOS -	National Ocean Service
NR -	Refer to Light List (Pg. xvi)	NW -	Refer to Light List (Pg. xvi)
NW -	Notice Writer	NY -	Refer to Light List (Pg. xvi)
OBSCU -	Obscured	OBST -	Obstruction
OBSTR -	Obstruction	PRIV -	Private Aid
RBN -	Radio Beacon	REBUILT -	Aid Rebuilt
RECOVERED -	Aid Recovered	RED -	Red Buoy
REDINT -	Reduced Intensity	RRL -	Range Rear Light
RELIGHTED -	Aid Relighted	RELOC -	Relocated
RESET ON STATION -	Aid Reset on Station	RFL -	Range Front Light
RIV -	River	SEC -	Section
SG -	Green Square on pile	SG-SY -	Green Square with Yellow Square on pile
SHL -	Shoaling	SND -	Sound

STP - St. Petersburg, FL
 STM - Statue Mile
 TRLB - Temporarily Replaced by Lighted Buoy
 TR-TY - Red Triangle with Yellow Triangle on pile

TEMP - Temporary Aid Change
 TR - Red Triangle on pile
 TRLT - Temporarily Replaced by Light
 TRUB - Temporarily Replaced by Unlighted Buoy

SAFE BOATING AND SEAMANSHIP PROGRAMS

For addition information on CG Auxiliary Public Education Boating Programs, contact 1-800-336-2628 or <http://www.cgaux7.org/>

HOST	DATES	TIME	LOCATION
U.S. Coast Guard Auxiliary Flotilla 42 (321) 773-7599	Continuous Boating Skills and Seamanship	7:30 p.m.– 9:30 p.m. (Tuesdays & Thursdays) 6 Weeks, 12 Lessons	Palm Bay Community Ctr 1502 Port Malabar Blvd Palm Bay, FL
U.S. Coast Guard Auxiliary Flotilla 78 (727) 360-7496	Continuous Boating Skills and Seamanship	7:30 p.m.– 9:30 p.m. (Mondays) 13 Weeks	W Webster Community Ctr 1500 Passe Grille Blvd St Petersburg, FL
U.S. Coast Guard Auxiliary Flotilla 79 (813) 855-6997	Continuous Boating Skills and Seamanship	7:30 p.m.– 9:30 p.m. (Wednesdays) 13 Weeks	5108 Gandy Blvd Salty Sol Boat Ramp Tampa, FL
U.S. Coast Guard Auxiliary Flotilla 7-16 (727) 323-5950	Continuous Boating Skills and Seamanship	7:30 p.m.– 9:30 p.m. (Tuesdays) 13 Weeks	USCG Auxiliary Bldg 3120 Miriam St South Gulfport, FL
U.S. Coast Guard Auxiliary Flotilla 51 (561) 844-3114	Continuous Boating Skills and Seamanship	7:30 p.m.– 9:30 p.m. (Tuesdays & Thursdays) 6 Weeks, 12 Lessons	CG Aux Bldg, P Foster Park 900 E. Blue Heron Blvd Riviera Beach, FL
U.S. Coast Guard Auxiliary Flotilla 81 (941) 761-4303/761-7393	Continous Boating Skills and Seamanship	7:00 p.m.– 9:00 p.m. (Tuesdays & Thursdays) 4 Weeks	CG Aux Bldg, G.T.Bray Park 5801 53 rd Ave Court W Bradenton, FL
U.S. Coast Guard Auxiliary Flotilla 55 (561) 585-8918	Continuous Boating Skills and Seamanship	7:00 p.m.– 9:00 p.m. (Mondays & Wednesdays) 6 Weeks, 12 Lessons	Santaluces High School Lawrence Road Lantana, FL
U.S. Coast Guard Auxiliary Flotilla 52 (772) 744-3876	Continuous Boating Safety Program	9:00 a.m.– 5:00 p.m. (Last Saturday of Each Month)	CG Aux Building Jupiter Lighthouse Park Jupiter, FL
U.S. Coast Guard Auxiliary Flotilla 81 (941) 761-4303/761-7393	Continous Boating Skills and Seamanship	7:00 p.m.– 9:00 p.m. (Tuesdays & Thursdays) 4 Weeks	CG Aux Bldg, G.T.Bray Park 5801 53 rd Ave Court W Bradenton, FL
U.S. Power Squadron (561) 863-1461 Palm Beach	Starting April 7, 2004 Boat Smart Course	7:00 p.m.–9:00 p.m. (Wednesdays) 4 Weeks	Palm Beach Lakes HS 3505 Shiloh Drive West Palm Beach, FL
U.S. Coast Guard Auxiliary Flotilla 52 (772) 744-3876	Starting April 7, 2004 Boating Skills and Seamanship	7:30 p.m.– 9:30 p.m. (Mondays & Wednesdays) 6 Weeks	CG Aux Building Jupiter Lighthouse Park Jupiter, FL
U.S. Power Squadron (954) 523-3577 Fort Lauderdale	April 13 & 17 , 2004 Boat Smart Courses	7:00 p.m.–9:00 p.m. (Tues) 9:00 a.m. – 4:00 p.m. (Sat)	FLPS Building 2029 SW 20 th Street Ft Lauderdale, FL
U.S. Coast Guard Auxiliary Flotilla 36 (561) 391-3600	April 17, 2004 Boating Safety Program	9:00 a.m.– 5:00 p.m. (Saturday)	CG Aux Building 3939 N. Ocean Blvd Boca Raton, FL

U.S. Coast Guard Auxiliary
Flotilla 38
(954) 475-4639

April 24, 2004
Boating Safety Program

9:00 a.m.– 5:00 p.m.
(Saturday)

Plantation Outreach Ctr
N Ent, Broward Mall
Plantation, FL

Programs are free; there is a nominal fee for text workbooks, etc.

I. SPECIAL NOTICES

INTERNET DELIVERY OF LOCAL NOTICE TO MARINERS

To improve service and reduce costs, the U.S. Coast Guard is moving to issuance of the Local Notices to Mariners (LNM) exclusively via the Internet. Recently, we revised our Aids to Navigation (AtoN) Manual (COMDINST M15500.7) to authorize elimination of printed LNM. Effective April 1, 2004, the U.S. Coast Guard will no longer print and mail copies of each LNM. A Notice concerning implementation of Internet delivery of LNM will be published in the Federal Register on March 2, 2004. The notice can be accessed at <http://www.gpoaccess.gov/fr/index.html>.

The Electronic versions of LNM appear on the U.S. Coast Guard Navigation Center's Website.
<http://www.navcen.uscg.gov/lnm/default.htm>.

For many years, each U.S. Coast Guard District has printed and mailed LNM free of charge to any mariner requesting a subscription. LNM provide important safety information; however, the cost of printing and mailing has become prohibitive. Technology now allows us to provide LNM in a timelier and less costly manner via the Internet. All individuals are encouraged to register for List Server notification on the Navigation Center's Website, so when LNM are posted for the district(s) in which you are interested, you will receive automatic notification of their availability.

Internet delivery of the LNM is part of a much larger U.S. Coast Guard effort to integrate, improve, and streamline the collection and dissemination of all navigation safety information.

LNM 09, 10, 11 and 12/04

2004 LIGHT LIST VOLUME III: ATLANTIC COAST AND GULF COAST

The 2004 U.S. Coast Guard Light List Volume III (GPO Stock Number: 050-012-00443-9/ISBN: 0-16-067983-4) is now available on the USCG Navigation Center Internet site (www.navcen.uscg.gov/pubs/LightList.htm). Hard copy editions will be available in April 2004 from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402. For pricing, ordering information, and availability, please contact the Superintendent of Documents by calling (202) 512-1800.

U.S.C.G. APPROVED FOG SIGNAL EMITTERS

Essi Corporation's, EA-2 Fog Signal (0.5 mile) and EA-8 Fog Signal (2.0 mile) are authorized as U.S. Coast Guard approved, for the purposes of 33 CFR 67.20-10, 33 CFR 67.25.10, and 33 CFR 67.30-10.

RADIOTELEPHONE SERVICE ON FREQUENCY 2180.0 KHZ

The U.S. Coast Guard international distress and calling radiotelephone service on the frequency 2180.0 may be operating at reduce power and sensitivity due to shoreside radio infrastructure problems. Action is underway to correct these problems.

The U.S. Coast Guard is operating a medium frequency Digital Selective Calling distress and safety service on a trial operating basis only. A Global Maritime Distress and Safety System (GMDSS) Sea Area A2 will not be declared in U.S. waters until shoreside radio infrastructure problems can be corrected.

DATES OF LATEST EDITIONS, NAUTICAL CHARTS AND MISCELLANEOUS MAPS

The Dates of Latest Editions, Nautical Charts and Miscellaneous Maps, dated January 1, 2004, published by the National Ocean Service, is available for issue. It may be obtained free by mail from the National Aeronautical Charting Office, AVN-530, Federal Aviation Administration, 6303 Ivy Lane, Suite 400, Greenbelt MD, 20770-1479, by telephone at 1-800-638-8972 or from your local authorized nautical chart sales agent. This is a quarterly publication listing the most recent editions of nautical charts, miscellaneous maps and publications relating to navigation, weather, etc. with brief descriptions and up-to-date prices for most of the publications listed. Much of this information may also be obtained online at: <http://chartmaker.ncd.noaa.gov/mcd/dole.htm>

II. DISCREPANCIES-DISCREPANCIES CORRECTED

This section lists all discrepancies to Aids to Navigation reported and corrected since the last published list. A discrepancy is a change in the status of an aid to navigation that differs from what is published and or charted. **Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity. Mariners should proceed with caution.**

FEDERAL AID DISCREPANCIES:

LLNR	AID NAME	DISCREPANCY	CHART	BNM	LNM
1955	Winyah Bay Channel Lighted Buoy 14	LT EXT	11532	086-04 CHA	13/04
10820	Biscayne Channel Light 3	LT EXT	11466	116-04 MIA	13/04
17550	Naples Bay Channel Daybeacon 22	TRUB	11429	442-04 STP	13/04
28875	Crystal River Entrance Daybeacon 18	DBN DEST	11408	445-04 STP	13/04
30760	Bahia de San Juan Lighted Buoy 2	OFF STA	25670	074-04 GAN	13/04
31360	Bajos Largo Lighted Buoy 3	LT EXT	25663	083-04 GAN	13/04
38680	Tolomato River Daybeacon 16	TRUB	11489	124-04 MAY	13/04
41835	Banana River North Channel A Daybeacon 1	DBN IMCH	11484	127-04 MAY	13/04
47285	New River Sound Light 16	DBN IMCH	11470	111-04 MIA	13/04
47380	Stranahan River Daybeacon 21	DBN IMCH	11470	113-04 MIA	13/04

FEDERAL AID DISCREPANCIES CORRECTED:

LLNR	AID NAME	DISCREPANCY	CHART	BNM	LNM
350	Tybee Lighted Buoy T	WATCHING PROPERLY	11505	065-03 CHA	11/03
565	Amelia Island Light	WATCHING PROPERLY	11489	119-04 MAY	13/04
1230	Cape Romano Shoals Light	WATCHING PROPERLY	11429	443-04 STP	13/04
2130	Winyah Bay Channel Lighted Buoy 36	WATCHING PROPERLY	11532	075-04 CHA	11/04
2400.2	Charleston Harbor Entrance Channel Lighted Buoy 13	WATCHING PROPERLY	11523	079-04 CHA	12/04
4020	Egg Bank Daybeacon 8	WATCHING PROPERLY	11517	080-04 CHA	12/04
4035	Story River Buoy 12	WATCHING PROPERLY	11517	N/A	13/04
4530	Tybee Lighted Buoy T	WATCHING PROPERLY	11505	065-03 CHA	11/03
4830	Lower Flats Range Front Light	WATCHING PROPERLY	11512	088-04 CHA	13/04
4880	Upper Flats Range Front Light	WATCHING PROPERLY	11512	084-04 CHA	13/04
5810	St Catherines Sound Lighted Buoy 7	WATCHING PROPERLY	11511	078-04 CHA	12/04
7380	Dames Point Cutoff Range Rear Light	WATCHING PROPERLY	11491	102-04 MAY	11/04
9615	Canaveral Harbor Approach Channel Lighted Buoy 9	WATCHING PROPERLY	11478	116-04 MAY	13/04
10535	Miami Main Channel Lighted Buoy 10	WATCHING PROPERLY	11468	115-04 MIA	13/04
12445	Grassy Key Light 11	WATCHING PROPERLY	11453	054-04	13/04
15175	Key West Northwest Channel Jetty Light A	WATCHING PROPERLY	11441	055-04 KEY	13/04
28475	Homosassa River Daybeacon 37	WATCHING PROPERLY	11409	413-04 STP	12/04
30575	Winyah Bay Channel Lighted Buoy 36	WATCHING PROPERLY	11532	075-04 CHA	11/04
31065	Graving Dock Channel Range Rear Light	WATCHING PROPERLY	25670	079-04 GAN	13/04
32580	Berg Hill Range Rear Light	WATCHING PROPERLY	25649	324-03 GAN	48/03
34170	Winyah Bay-Charleston Harbor Daybeacon 16	WATCHING PROPERLY	11532	N/A	13/04
34670	Stono River Range Buoy RL	WATCHING PROPERLY	11518	082-04 CHA	13/04
36050	Wilmington River Light 37	WATCHING PROPERLY	11512	081-04 CHA	12/04
38785	Tolomato River Daybeacon 42	WATCHING PROPERLY	11485	115-04 MAY	12/04
39185	San Sebastian River Daybeacon 26	WATCHING PROPERLY	11485	122-04 MAY	13/04
39195	San Sebastian River Daybeacon 30	WATCHING PROPERLY	11485	121-04 MAY	13/04
39215	San Sebastian River Daybeacon 37	WATCHING PROPERLY	11485	120-04 MAY	13/04
40185	Halifax River Daybeacon 42	WATCHING PROPERLY	11485	N/A	13/04
40215	Halifax River Daybeacon 48	REBUILT/RECOVERED	11485	104-04 MAY	11/04
40220	Halifax River Daybeacon 50	REBUILT/RECOVERED	11485	105-04 MAY	11/04
43250	Indian River (South Section) Light 7	REBUILT/RECOVERED	11472	069-04 MAY	07/04
43465	Indian River (South Section) Daybeacon 42	REBUILT/RECOVERED	11472	465-03 MIA	39/03
43515	Indian River (South Section) Daybeacon 51A	REBUILT/RECOVERED	11472	551-03 MIA	46/03
43820	Indian River (South Section) Daybeacon 88	REBUILT/RECOVERED	11472	053-04 MIA	06/04
43855	Indian River (South Section) Daybeacon 95	REBUILT/RECOVERED	11472	052-04 MIA	06/04
47285	New River Sound Light 16	WATCHING PROPERLY	11470	111-04 MIA	12/04
51120	St Lucie Canal Daybeacon 38	WATCHING PROPERLY	11428	110-04	12/04
53265	Caloosahatchee River Daybeacon 61	REBUILT/RECOVERED	11427	092-04 STP	03/04
54285	Caloosahatchee River Daybeacon 84A	REBUILT/RECOVERED	11427	328-04 STP	10/04
57035	Gasparilla Sound Channel Daybeacon 24	REBUILT/RECOVERED	11425	332-04 STP	10/04
57265	Lemon Bay Channel Daybeacon 13	REBUILT/RECOVERED	11425	137-04 STP	05/04
59350	Siesta Key-Tampa Bay Daybeacon 40	WATCHING PROPERLY	11425	N/A	12/04

PRIVATE AID DISCREPANCIES:

LLNR	AID NAME	DISCREPANCY	CHART	BNM	LNLM
23605	*Port Sutton Light	LT EXT	11416	N/A	13/04
24260	*Bay Crest Daybeacon 2	DBN IMCH	11416	N/A	13/04
24270	*Bay Crest Daybeacon 4	DBN IMCH	11416	N/A	13/04
24280	*Bay Crest Daybeacon 6	DBN IMCH	11416	N/A	13/04
45885	*Sewalls Point Daybeacon 1	DBN IMCH	11472	N/A	13/04
45895	*Sewalls Point Daybeacon 3	DBN IMCH	11472	N/A	13/04
45900	*Sewalls Point Daybeacon 4	DBN IMCH	11472	N/A	13/04
51945	*Okee-Tantie Daybeacon 1	DBN IMCH	11428	N/A	13/04
51955	*Okee-Tantie Daybeacon 3	MISSING	11428	N/A	13/04

PRIVATE AID DISCREPANCIES CORRECTED:

LLNR	AID NAME	DISCREPANCY	CHART	BNM	LNLM
27320	*Aripeka Daybeacon 10	WATCHING PROPERLY	11409	278-04 STP	09/04
27330	*Aripeka Daybeacon 13	WATCHING PROPERLY	11409	277-04 STP	09/04
27450	*Aripeka Daybeacon 50	WATCHING PROPERLY	11409	N/A	07/04
27650	*Hernando Beach Channel Daybeacon 32	WATCHING PROPERLY	11409	279-04 STP	09/04
27785	*Hernando Beach Channel Daybeacon 67	WATCHING PROPERLY	11409	280-04 STP	09/04
27945	*Bayport Channel Approach Light BP	WATCHING PROPERLY	11409	N/A	07/04
27955	*South Rock Obstruction Daybeacon	WATCHING PROPERLY	11409	N/A	07/04
50945	*St. Lucie River (North Fork) Daybeacon 21	WATCHING PROPERLY	11428	N/A	04/03
50955	*St. Lucie River (North Fork) Daybeacon 25	WATCHING PROPERLY	11428	N/A	04/03

II. TEMPORARY CHANGES-AIDS ESTABLISHED:

LLNR	AID NAME	DISCREPANCY	CHART	BNM	LNLM
------	----------	-------------	-------	-----	------

NONE.

TEMPORARY CHANGES CORRECTED:

LLNR	AID NAME	DISCREPANCY	CHART	BNM	LNLM
2470	Charleston Harbor Channel Lighted Buoy 24	WATCHING PROPERLY	11523	083-04 CHA	13/04

IV. CHART CORRECTIONS

(Explanation of Format)

Corrective action affecting charts is contained in this section. Chart corrections are listed numerically by chart number, beginning with the lowest and progressing through all charts affected. The correction listed pertains to that chart only. It is up to the mariner to decide which charts are to be corrected. The following example explains the individual elements of a typical correction.

Chart number	Chart edition	Edition date	Last Local Notice to Mariners	Reference datum	Source of correction	Current Notice to Mariners
11534	26th ed. Myrtle Grove Sound to Fear River to Casino Creek Add	12/14/91	LAST LNM 41/92 *Boguse Channel Light 1, Fl G 2.5s, 16 ft, 7M	NAD 83	(CDG07)	45/00 32-48-00.000N 079-15-00.000W
	Corrective action		Object of corrective action	(Temp) indicates Temporary Correction Position action		

The letter (M) immediately following the chart number indicates that the correction should be applied to the metric side of the chart only. (TEMP) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (m). (*) Asterisk is used to identify Private Aids.

11420	27th ed.	03/01/2003	LAST LNM: 52/03	NAD 83	CGD07	13/04
	HAVANA TO TAMPA BAY					
	RELOCATE	Venice Inlet Light 1, FI G 6s		from to	27-06-45.809N 27-06-45.755N	082-28-12.060W 082-28-12.879W
11424	18th ed.	01/01/2003	LAST LNM: 04/04	NAD 83	CGD07	13/04
	FL-LEMON BAY TO PASSAGE KEY INLET					
	RELOCATE	Venice Inlet Light 1, FI G 6s		from to	27-06-45.809N 27-06-45.755N	082-28-12.060W 082-28-12.879W
11425	35th ed.	11/01/2003	LAST LNM: 11/04	NAD 83	CGD07	13/04
	FL-ICW-CHARLOTTE HARBOR TO TAMPA BAY					
	RELOCATE	Venice Inlet Light 1, FI G 6s		from to	27-06-45.809N 27-06-45.755N	082-28-12.060W 082-28-12.879W
	CHANGE	Lemon Bay Buoy 52A, Red nun		to		
	RELOCATE	Lemon Bay Daybeacon 52A, Red nun		and from to	27-02-54.479N 27 02 54.484N	082-26-08.717W 082-26-08.687W
11426	36th ed.	06/17/2003	LAST LNM: 09/04	NAD 83	CGD07	13/04
	FL-ESTERO BAY TO LEMON BAY INCLUDING CHARLOTTE HARBOR					
	RELOCATE	Sanibel Island Daybeacon 3, (SG on pile)		from to	26-27-35.200N 26-27-35.979N	082-02-26.000W 082-02-24.940W
11427	33rd ed.	10/01/2002	LAST LNM: 09/04	NAD 83	CGD07	13/04
	FL-ICW-FORT MYERS TO CHARLOTTE HARBOR & WIGGINS PASS					
	RELOCATE	Sanibel Island Daybeacon 3, (SG on pile)		from to	26-27-35.200N 26-27-35.979N	082-02-26.000W 082-02-24.940W
11431	12th ed.	04/20/2002	LAST LNM: 07/03	NAD 83	CGD07	13/04
	FL-EAST CAPE TO MORMON KEY					
	RELOCATE	Little Shark River Entrance Light 1, FI G 4s		from to	25-19-17.200N 25-19-21.275N	080-09-17.600W 081-09-14.672W
	RELOCATE	Little Shark River Entrance Daybeacon 4, (TR on pile)		from to	25-19-40.700N 25-19-38.869N	081-08-40.900W 081-08-45.507W
11432	13th ed.	11/22/1997	LAST LNM: 10/03	NAD 83	CGD07	13/04
	FL-EVERGLADES NATIONAL PARK-SHARK RIVER TO LOSTMANS RIVER					
	RELOCATE	Little Shark River Entrance Light 1, FI G 4s		from to	25-19-17.200N 25-19-21.275N	080-09-17.600W 081-09-14.672W
	RELOCATE	Little Shark River Entrance Daybeacon 4, (TR on pile)		from to	25-19-40.700N 25-19-38.869N	081-08-40.900W 081-08-45.507W
11433	13th ed.	03/21/1998	LAST LNM: 30/03	NAD 83	CGD07	13/04
	FL-EVERGLADES NATIONAL PARK-WHITE WATER BAY					
	RELOCATE	Whitewater Bay Daybeacon 10, (TR on pile)		from to	25-12-45.000N 25-12-42.648N	080-55-51.000W 080-55-51.423W
	RELOCATE	Little Shark River Entrance Light 1, FI G 4s		from to	25-19-17.200N 25-19-21.275N	080-09-17.600W 081-09-14.672W

	RELOCATE	Little Shark River Entrance Daybeacon 4, (TR on pile)						
			from			25-19-40.700N	081-08-40.900W	
			to			25-19-38.869N	081-08-45.507W	
11439	25th ed.	02/02/2002	LAST LNM: 17/03	NAD 83		CGD07	13/04	
		FL-SAND KEY TO REBECCA SHOAL						
	CHANGE	Key West Northwest Channel Jetty Light A, Q Y to	18FT					
			at			24-38-27.737N	081-53-34.035W	
11441	39th ed.	04/28/2001	LAST LNM: 11/04	NAD 83		CGD07	13/04	
		FL-KEY WEST HARBOR AND APPROACHES						
	RELOCATE	Key West Northwest Channel Light 17, FI G 2.5S	from					
			to			24-34-01.906N	081-49-44.138W	
						24-34-02.142N	081-49-43.936W	
	CHANGE	Key West Northwest Channel Jetty Light A, Q Y to	18FT					
			at			24-38-27.737N	081-53-34.035W	
11442	34th ed.	06/24/2003	LAST LNM: 07/04	NAD 83		CGD07	13/04	
		FL-FL KEYS-SOMBRERO KEY TO SAND KEY						
	CHANGE	Key West Northwest Channel Jetty Light A, Q Y to	18FT					
			at			24-38-27.737N	081-53-34.035W	
11446	31th ed.	12/01/2003	LAST LNM: 07/04	NAD 83		CGD07	13/04	
		FL- ICW- SUGARLOAF KEY TO KEY WEST						
	RELOCATE	Key West Northwest Channel Light 17, FI G 2.5S	from					
			to			24-34-01.906N	081-49-44.138W	
						24-34-02.142N	081-49-43.936W	
	CHANGE	Key West Northwest Channel Jetty Light A, Q Y to	18FT					
			at			24-38-27.737N	081-53-34.035W	
11447	36th ed.	11/01/2003	LAST LNM: 10/04	NAD 83		CGD07	13/04	
		FL-KEY WEST HARBOR						
						Base Lining		
	RELOCATE	Key West Northwest Channel Light 17, FI G 2.5S	from					
			to			24-34-01.906N	081-49-44.138W	
						24-34-02.142N	081-49-43.936W	
11466	36th ed.	12/01/2002	LAST LNM: 10/04	NAD 83		CGD07	13/04	
		FL-JUPITER INLET TO FOWEY ROCKS						
	CHANGE	Lake Worth Inlet Light 10, FI R 6s to 4M		at				
						26-46-16.320N	080-02-37.185W	
11472	31st ed.	12/01/2002	LAST LNM: 09/04	NAD 83		CGD07	13/04	
		FL-ICW-PALM SHORES TO WEST PALM BEACH						
	CHANGE	Lake Worth Inlet Light 10, FI R 6s to 4M		at				
						26-46-16.320N	080-02-37.185W	
11480	38th ed.	05/01/2003	LAST LNM: 09/04	NAD 83		CGD07	13/04	
		SC - FL -CHARLESTON LIGHT TO CAPE CANAVERAL						
	CHANGE	Tybee Lighted Whistle Buoy T		to				
		Tybee Lighted Buoy T, Mo (A) W		at		31-57-52.517N	080-43-09.772W	
11505	1st ed.	09/23/2000	LAST LNM: 11/04	NAD 83		CGD07	13/04	
		SC-GA SAVANNAH RIVER APPROACH						
	CHANGE	Tybee Lighted Whistle Buoy T		to				
		Tybee Lighted Buoy T, Mo (A) W		at		31-57-52.517N	080-43-09.772W	

11509	27th ed.	01/12/2002	LAST LNM: 09/04	NAD 83	CGD07	13/04
	GA-TYBEE ISLAND TO DOBOY SOUND					
	CHANGE	Tybee Lighted Whistle Buoy T Tybee Lighted Buoy T, Mo (A) W		to at	31-57-52.517N	080-43-09.772W
11512	59th ed.	01/01/2003	LAST LNM: 11/04	NAD 83	CGD07	13/04
	GA-SC-SAVANNAH RIVER AND WASSAW SOUND					
	CHANGE	Tybee Lighted Whistle Buoy T Tybee Lighted Buoy T, Mo (A) W		to at	31-57-52.517N	080-43-09.772W
11513	23rd ed.	12/23/2000	LAST LNM: 10/04	NAD 83	CGD07	13/04
	SC-GA-ST HELENA SOUND TO SAVANNAH RIVER					
	CHANGE	Tybee Lighted Whistle Buoy T Tybee Lighted Buoy T, Mo (A) W		to at	31-57-52.517N	080-43-09.772W
11518	33rd ed.	01/01/2003	LAST LNM: 10/04	NAD 83	CGD07	13/04
	SC-ICW-CASINO CREEK TO BEAUFORT RIVER					
	RELOCATE	Charleston Harbor Channel Lighted Buoy 24, FI R 2.5s		from	32-44-52.596N	079-51-12.072W
				to	32-44-57.172N	079-51-17.382W
11521	26th ed.	02/02/2002	LAST LNM: 02/04	NAD 83	CGD07	13/04
	SC-CHARLESTON HARBOR AND APPROACHES					
	RELOCATE	Charleston Harbor Channel Lighted Buoy 24, FI R 2.5s		from	32-44-52.596N	079-51-12.072W
				to	32-44-57.172N	079-51-17.382W
11523	21st ed.	02/02/2002	LAST LNM: 10/04	NAD 83	CGD07	13/04
	SC-CHARLESTON HARBOR ENTRANCE					
	RELOCATE	Charleston Harbor Channel Lighted Buoy 24, FI R 2.5s		from	32-44-52.596N	079-51-12.072W
				to	32-44-57.172N	079-51-17.382W
11524	47th ed.	02/01/2004	LAST LNM: 11/04	NAD 83	CGD07	13/04
	SC-CHARLESTON HARBOR					
	RELOCATE	Charleston Harbor Channel Lighted Buoy 24, FI R 2.5s		from	32-44-52.596N	079-51-12.072W
				to	32-44-57.172N	079-51-17.382W
25679	10th ed.	03/01/2003	LAST LNM: 09/04	NAD 83	CGD07	13/04
	WEST INDIES-PUERTO RICO-SOUTH COAST-BAHIA DE GUANICA					
	CHANGE	Bahia de Guanica Lighted Buoy 4, FI R 4s		to	17-56-12.894N	066-54-25.132W
		Bahia de Guanica Lighted Buoy 4, FI R 6s		at		

ADVANCE NOTICES

SOUTH CAROLINA - WINYAH BAY: [Changes to Aids to Navigation.](#)

[WINYAH BAY LIGHTED BELL BUOY 8](#) (LLNR 1905) will be changed to Lighted Buoy 8 displaying published characteristic.

[WINYAH BAY LIGHTED BELL BUOY 10](#) (LLNR 1925) will be changed to Lighted Buoy 10 displaying published characteristic.

This project will be completed the week of 20 June 2004.

Ref: LNM 12/04

Chart: 11532

SOUTH CAROLINA-CHARLESTON HARBOR: Changes to Aids to Navigation.

CHARLEST HARBOR LIGHTED BUOY 24 (LLNR 2470) will be relocated to approximate position 32-44-57.000N/079-51-17.000W displaying published characteristic.

This project will be completed the week of 03 May 2004.

Ref: LNM 12/04

Chart: 11524

SOUTH CAROLINA-CHARLESTON HARBOR-COOPER RIVER: Changes to Aids to Navigation.

The following changes to the aids to navigation system will be made in the Cooper River.

COOPER RIVER LIGHTED BUOY 50 (LLNR 2833) has been established in approximate position 32-51-08.000N/079-56-05.000W displaying Flashing Red 2.5's characteristic.

COOPER RIVER LIGHTED BUOY 50 (LLNR 2840) has been permanently relocated to position 32-51-18.000N/079-56-32.000W and renumbered Lighted Buoy 50A displaying published characteristic.

COOPER RIVER LIGHTED BUOY 52 (LLNR 2855) has been permanently relocated to position 32-51-32.000N/079-57-11.000W displaying published characteristic.

This project will be completed the week of 03 May 2004.

Ref: LNM 12/04

Chart: 11524

GEORGIA – SAVANNAH RIVER – TYBEE RANGE: Changes to Aids to Navigation.

TYBEE RANGE LIGHTED BELL BUOY 1 (LLNR 4545) will be changed to Lighted Buoy 1 displaying published characteristic.

This project will be completed the week of 03 May 2004.

Ref: LNM 12/04

Chart: 11512

V. PROPOSED CHANGES

GEORGIA-BEAUFORT RIVER TO ST SIMONS SOUND-ALTAMAHA SOUND: Changes to Aids to Navigation.

Due to sever shoaling the following changes have been proposed at Altamaha Sound.

ALTAMAHA SOUND LIGHTED BUOY 2 (LLNR 5950) will be permanently discontinued.

ALTAMAHA SOUND LIGHT 4 (LLNR 5960) will be permanently discontinued.

ALTAMAHA SOUND BUOY 5 (LLNR 5965) will be permanently discontinued.

ALTAMAHA SOUND BUOY 7 (LLNR 5968) will be permanently discontinued.

All comment should be addressed to Commander (OAN), Seventh Coast Guard District 909 S.E. 1st Ave (STE 406) Brickell Plaza Federal Bldg Miami, FI 33131 to be received no than 16 April 2004.

Ref: LNM 08, 09, 10, 11 and 12/04

Chart: 11508

FLORIDA-ESTERO BAY TO LEMON BAY: Changes to Aids to Navigation.

The following change has been proposed at Boca Grande.

GASPARILLA ISLAND LIGHT (LLNR 1310) will be permanently discontinued. This aid was formerly known as BOCA GRANDE (ENTRANCE REAR RANGE) LIGHT (LLNR 1310/19905). The range was permanently discontinued in January 2003.

All comments should be addressed to Commander (OAN), Seventh Coast Guard District 909 S.E. 1st Ave (STE 406) Brickell Plaza Federal Bldg Miami, FI 33131 to be received no later than 31 May 2004.

Ref: LNM 08, 09, 10, 11 and 12/04

Chart: 11426

A. BRIDGE INFORMATION.

B. MISCELLANEOUS INFORMATION

HAITI-PORT-AU-PRINCE: Aids Established.

The following Aids to Navigation has been established in Port-Au-Prince, Haiti:

Port-Au-Prince LB PA: 18-34-11.400N 072-25-33.100W, Characteristics: MO A
Port-Au-Prince LB 1: 18-34-00.000N 072-24-32.800W, Characteristics: FI G 2.5s
Port-Au-Prince LB 2: 18-33-54.000N 072-24-34.200W, Characteristics: FI R 2.5s
Port-Au-Prince LB 3: 18-33-44.600N 072-23-27.100W, Characteristics: FI G 4s
Port-Au-Prince LB 4: 18-33-38.000N 072-23-28.800W, Characteristics: FI R 4s
Port-Au-Prince LB 5: 18-33-29.500N 072-22-21.800W, Characteristics: FI G 2.5s
Port-Au-Prince LB 6: 18-33-24.400N 072-22.28.800W, Characteristics: Q R
Port-Au-Prince LB 7: 18-33-24.800N 072-22-10.680W, Characteristics: Q G
Port-Au-Prince LB 9: 18-33-18.000N 072-21-41.200W, Characteristics: FI G 2.5s
Port-Au-Prince LB 10 18-33-13.200N 072-21-40.200W, Characteristics: FI R 2.5s

Ref: LNM 11 and 12/04

Chart: 11451

GEORGIA-SAVANNAH RIVER: Dredging Operations.

The dredge CHARLESTON has commenced dredging at the Southern LNG Terminal. A pipeline will run from the dredging area to the spoil area on Southern LNG property. This project will be completed on or about April 30, 2004.

All mariners are requested to stay clear of the dredge, booster, floating (pontoon) and submerged pipelines, barges, derricks and operating wires about the dredge. Operators of vessels of all types should be aware that the dredge and floating pipelines are held in place by cables, attached to anchors some distance away from the equipment. Buoys are attached to the anchors so that the anchors may be moved as the dredge advances and the location of the submerged pipeline are marked by buoys on each side of the channel. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipelines, barges, derricks, wires and related equipment.

Owners and lessees of fishnets, crab pots and other structures that may be in the vicinity and that may hinder the free navigation of attending vessels and equipment must move these from the area where tugs, tenderboats and other attendant equipment will be navigating. This project will be conducted twenty-four (24) hours per day, seven (7) days per week, all fishnets, crab pots and structures in the general area must be moved prior to the commencement of the work.

The dredge operator will standby on VHF Channels 13 and 16. All traffic are urged to call thirty (30) minutes prior to expected time of passage. For further information contact: (757) 547-9391.

Chart: 11512

FLORIDA-GULF OF MEXICO-SOMBRERO KEY TO DRY TORTUGAS: Naval Operations.

The U.S.Navy will be conducting a project in the Gulf of Mexico approximately 75 NM NE of the DryTortugas beginning March 27, and commencing on or about April 7, 2004. The operating area is within a box, the Northern boundary being Latitude: 25.507N, the Eastern boundary being Longitude: 84.006W. The Southern boundary being Latitude: 25.200N and the Western boundary being Longitude: 84.225W. During this time there will be numerous sub-surface obstructions within the operating area. These obstructions have the potential to severely damage any trawling gear deployed within the operating area no-transit area during this time frame. All mariners are advised to use extreme caution.

Ref: LNM 11 and 12/04

Chart: 11434

FLORIDA-AMELIA ISLAND TO ST AUGUSTINE-NASSAU SOUND: Marine Construction.

Construction has begun on two breakwater structures at the northern boundary of Amelia Island State Park in Nassau Sound. From March 15, to May 3, 2004, construction will take place at position 30-31.34' N 081-26.03' W. From May 7, to July 10, 2004, construction will take place at position 30-30.99 N 081-26.10 W. Mariners are advised to transit these areas with caution and watch for low hanging trestles and construction related vessels. For more information contact Mr. Will Adams at (912) 429-5150.

Ref: LNM 11 and 12/04

Chart: 11451

FLORIDA—KEY WEST HARBOR AND APPROACHES-FLEMING KEY: Dredging Operations.

To facilitate dredging the U.S.Navy has requested a no anchor zone for the approach from Man of War Channel to the Fleming Key Naval Ammunition Dock. The boundary lines for the anchor zone are:

East of 81°48'24" W (extended to shoreline of Fleming Key)
 North of 24°34'12" N
 South of 24°34'36" N

The dredging operation will be ongoing for approximately two (2) years. Questions can be address to Mr. John Jones, Key West Assistant Manager at (305) 292-8117.

Ref: LNM 08, 09, 10, 11 and 12/04

Chart; 11441

VI. LIGHT LIST CORRECTIONS

(1) Red.No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
350 4530 *	Tybee Lighted Buoy T	31 57 54 N 80 43 12 W	Mo (A) W		6	Red and White stripes with red spherical topmark.	RACON G (--). (13/04)
4530 350 *	Tybee Lighted Buoy T	31 57 54 N 80 43 12 W	Mo (A) W		6	Red and White stripes with red spherical topmark.	RACON G (--). (13/04)
10235	- LIGHT 9		Fl G 6s	16	4 *	SG on dolphin.	 (13/04)
10240	- LIGHT 10		Fl R 6s	16	4 *	TR on dolphin.	 (13/04)
15175	- JETTY LIGHT A	24 38 24 N 81 53 36 W	Q Y	18 *	7	NY on dolphin.	 (13/04)
15950	LIGHT 1	25 19 21 N 81 09 14 W *	Fl G 4s	16	4	SG on dolphin.	 (13/04)
32205	- Lighted Buoy 4	17 56 12 N 55 54 25W *	Fl R 6s *		3	Red.	On west end of shoal. (13/04)
57680.1 *	- Daybeacon 52A					TR TY on pile. *	 (13/04)

IX. ADDITIONAL ENCLOSURES

Enclosure: (1) Summary of Corrections to Volume III of the U.S. Coast Guard Light List: LNM 01 through 12 for the 2004 edition.
 (2) U.S. Coast Pilot 5, Atlantic Coast: Gulf of Mexico, Puerto Rico, and Virgin Islands, 2004 (31st) Edition. Change No. 16.

H. E. Johnson, Jr.
 Rear Admiral, U. S. Coast Guard
 Commander, Seventh Coast Guard

(1) Red.No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
845.3	NOAA Data Lighted Buoy 41012	30 02 38 N 80 33 00 W *	Fl (4) Y 20s			Yellow disc-shape with mast.	(12/04)
2506 *	SHUTES FOLLY RANGE REAR LIGHT	32 47 24 N 79 55 44 W	F R				(12/04)
17630	- LIGHT 32		Fl R 4s	16	3 *	TR on pile.	(12/04)
17990	- LIGHT SC	26 25 08 N 81 57 33 W	Mo (A) W	16	7 *	MR on dolphin.	(12/04)
21365	- Daybeacon 5A					SG on pile.	Remove from list. (12/04)
22710	- RANGE FRONT LIGHT	27 40 36 N 82 34 06 W	Q W	18		On piles.	Visible 2' each side of rangeline. Lighted throughout 24 hours. (12/04)
22815	- NORTH RANGE REAR LIGHT 1,551 yards, 359.6' from front light.		Iso G 6s	59		KRW on skeleton	Visible 0.5' each side of rangeline. Lighted throughout 24 hours. (12/04)
31705	PUNTA ESTE LIGHT	18 08 12 N 65 16 06 W	Fl W 6s	43	6 *	NR on tower.	(12/04)

Summary of corrections to Volume III of the U.S.Coast GUard Light List for the 2003 edition.

(1) Red.No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2505.5	SHUTES FOLLY RANGE FRONT LIGHT	32 47 17 N 79 55 27 W	F R	*	*	*	* (11/04)
2505.5	SHUTES FOLLY RANGE REAR LIGHT	32 47 24 N 79 55 44 W	F R	*	*	*	* (11/04)
10347	PORT EVERGLADES NORTH REGULATORY LIGHT	26 05 41 N 80 06 41 W	FI W 4s	16	3	NW on piles worded "WARNING SLOW SPEED MINIMUM WAKE" inbound "RESUME NORMAL SPEED SAFE OPERATION" outbound.	* (11/04)
10349	PORT EVERGLADES SOUTH REGULATORY LIGHT	26 05 33 N 80 06 41 W	FI W 4s	16	3	NW on piles worded "WARNING SLOW SPEED MINIMUM WAKE" inbound "RESUME NORMAL SPEED SAFE OPERATION" outbound.	* (11/04)
21350	- Daybeacon 3A					SG on pile.	Remove from list. (11/04)
21350	- Daybeacon 5A					SG on pile.	Remove from list. (11/04)
23725	- RANGE REAR LIGHT 1,728 yards, 178.7' from front light.		Iso W 6s FI W 4s	62 23	5	KRW on skeleton structure on piles.	Visible 2' each side of rangeline. Passing light obscured on rangeline, visible elsewhere. (11/04)
24481	- APPROACH LIGHT LM	27 43 24 N 82 30 00 W	Mo (A) W	16	5	MR on pile.	(11/04)
31690	SAVANNAH ISLAND LIGHT	18 20 14 N 65 04 58 W	FI W 4s	300	6	White tower.	(11/04)
33340	SOUTHWEST CAPELIGHT	17 40 39 N 64 53 59 W	FI W 6s	45	6	Gray skeleton tower.	(11/04)
34710	- RANGE D FRONT LIGHT	32 47 16 N 80 06 04 W	Q R	12		KRW-I on dolphin.	Visible all around; higher intensity on rangeline. (11/04)
36660	- LIGHT 149		FI G 4s	16	4	SG-SY on pile.	(11/04)
36890	- LIGHT 198		Q R	12	4	TR-TY on dolphin.	(11/04)
36905	- LIGHT 201		FI G 4s	12	4	SG-SY on dolphin.	(11/04)

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2003 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
4670	Lazaretto Creek Obstruction Buoy 3	32 00 49 N 80 53 01 W *				Green can.	(10/04)
21545	Sarasota Bay Artificial Reef Daybeacon P	27 18 54 N 82 34 18 W				NY on pile.	Remove from list. (10/04)
21565	Sarasota Bay Artificial Reef Daybeacon B	27 19 48 N 82 34 42 W				NY on pile.	Remove from list. (10/04)
21655	Sarasota Bay Artificial Reef Daybeacon M	27 20 06 N 82 34 36 W				NY on pile.	Remove from list. (10/04)
22300	- Lighted Buoy 12 *		Fl R 6s		4	Red.	(10/04)
32065	CAYO MARIA LANGA LIGHT	17 57 59 N 66 45 09 W *	Fl W 2.5s	42	8	NR on skeleton tower.	(10/04)
61045	- Daybeacon 2	27 44 50 N 82 44 56 W *				TR-TY on pile.	(10/04)
18235	- LIGHT 15	26 27 37 N 81 57 38 W	Fl G 2.5s	16	3	SG on pile. *	(09/04)
19940	- Channel Lighted Buoy 8 *		Q R		3	Red.	(09/04)
19960	- Channel Lighted Buoy 12 *		Fl R 2.5s		3	Red.	(09/04)
20140	- Daybeacon 7	26 54 24 N 82 09 54 W *				SG on pile.	Measured mile between daybeacon 7 and 8. (09/04)
ADD HEADER Cut F Channel							
22820	- Lighted Buoy 3F	27 46 06 N 82 31 24 W	Fl G 4s		4	Green.	
24960	- JUNCTION LIGHT S	27 45 30 N 82 36 42 W	Fl (2+1) G 6s	16	3	JG on pile. *	(09/04)
31160	LAS CUCARACHAS LIGHT	18 24 00 N 65 36 42 W	Fl W 6s	38	6	NG on skeleton tower. *	(09/04)
31435	- ENTRANCE CHANNEL RANGE FRONT LIGHT	18 13 40 N 65 38 04 W *	Q W		37	KRW on skeleton tower. on piles.	Visible 2° each side of rangeline. (09/04)
31690	SAVANNAH ISLAND LIGHT	18 20 24 N 65 05 00 W	Fl W 4s	300	6	White tower. *	(09/04)
32205	- Lighted Buoy 4 *	17 56 12 N 66 54 25 W *	Fl R 4s		3	Red.	On west end of shoal. * (09/04)
32670	- LIGHT 6	18 19 54 N 64 56 54 W	Fl R 4 s	16	3	TR on dolphin.	

10-Mar-04

1

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2003 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
					*		(09/04)
32700	TWO BROTHERS LIGHT	18 20 36 N 64 49 00 W	Fl W 6s	23	5	NR on skeleton tower.	
					*		(09/04)
32905	Round Reef Northeast Junction Lighted Buoy RR *	17 45 24 N 64 41 45	Fl (2+1) G 6s		3	Green and red bands.	At northeast point of reef. *
32910	- LIGHT 9		Fl G 2.5 s	16	3	SG on dolphin.	(09/04)
32920	- LIGHT 11		Q G	10	3	SG on dolphin.	(09/04)
33605	- Daybeacon 2	33 52 14 N 78 34 17 W				TR-TY on pile.	(09/04)
34710	- RANGE C FRONT LIGHT	32 47 16 N 80 06 04 W	Q R	12		KRW-I on dolphin.	Visible all around; higher intensity on rangeline. *
	ADD HEADER Porpoise Point Channel						
44643.1	- Daybeacon 1	27 35 48 N 80 20 32 W				SG on pile.	Private aid. (09/04)
44643.2	- Daybeacon 3					SG on pile.	Private aid. (09/04)
44643.3	- Daybeacon 5					SG on pile.	Private aid. (09/04)
44643.4	- Daybeacon 7					SG on pile.	Private aid. (09/04)
44643.5	- Daybeacon 9					SG on pile.	Private aid. (09/04)
44643.6	- Daybeacon 11					SG on pile.	Private aid. (09/04)
44643.7	- Daybeacon 12					TR on pile.	Private aid. (09/04)
44643.8	- Daybeacon 11A					SG on pile.	Private aid. (09/04)
44643.9	- Daybeacon 12A					TR on pile.	Private aid. (09/04)
44643.11	- Daybeacon 13					SG on pile.	Private aid. (09/04)
44643.12	- Daybeacon 14					TR on pile.	Private aid. (09/04)
44643.13	- Daybeacon 15					SG on pile.	Private aid. (09/04)
44643.14	- Daybeacon 16					TR on pile.	Private aid. (09/04)
44643.15	- Daybeacon 17					SG on pile.	Private aid. (09/04)
10-Mar-04							

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2003 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
44643.16	- Daybeacon 18					TR on pile.	Private aid. (09/04)
44643.17	- Daybeacon 19					SG on pile.	Private aid. (09/04)
44643.18	- Daybeacon 20					TR on pile.	Private aid. (09/04)
44643.19	- Daybeacon 21					SG on pile.	Private aid. (09/04)
44643.21	- Daybeacon 22					TR on pile.	Private aid. (09/04)
44643.22	- Daybeacon 23					SG on pile.	Private aid. (09/04)
44643.23	- Daybeacon 24					TR on pile.	Private aid. (09/04)
1555	ANCLOTE KEY LIGHT	28 10 02 N 82 50 44 W	Fl (4) W 30s	110	19	Brown skeleton tower with black lantern.	Private aid. * (08/04)
6147	- Daybeacon 1	31 08 27 N 81 25 17 W	*			SG on pile.	At edge of shoal. * (08/04)
6150	- Daybeacon 2	31 08 44 N 81 25 17 W	*			TR on pile.	* (08/04)
6155	- Daybeacon 5	31 09 09 N 81 25 24 W	*			SG on dolphin.	* (08/04)
6160	- RANGE REAR LIGHT						Remove from list. * (08/04)
6165	- Daybeacon 7					SG on pile.	(08/04)
14830	- Lighted Buoy 5	24 30 31 N 81 48 18 W	Fl G 4s		4	Green.	At edge of shoal. (08/04)
25825	- Daybeacon 1	27 57 55 N 82 48 25 W	*			SG on pile.	(08/04)
33340	SOUTHWEST CAPELIGHT	17 40 48 N 64 54 00 W	Fl W 6s	45	6	Grey skeleton tower.	* (08/04)
34265	- LIGHT 43	33 03 00 N 79 31 06 W	Fl G 4s	16	4	SG-SY on dolphin.	* (08/04)
35110	- RANGE C FRONT LIGHT	32 33 05 N 80 25 21 W	Q R		10	KRW on skeleton tower.	Visible all around; higher intensity on rangefine. (08/04)
37020	- RANGE B FRONT LIGHT 218	31 18 08 N 81 24 02 W	Q R	16	4	KRW-TR-TY on pile.	(08/04)
37307	JEKYLL CREEK LIGHT 9	31 05 24 N 81 26 30 W	Q G	12	4	SG-SY on pile.	

10-Mar-04

3

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2003 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
		*					(08/04)
37325	- LIGHT 17	31 04 16 N 81 25 44 W *	Fl G 4s	12	4	SG-SY on pile.	(08/04)
38300	- LIGHT 74	30 26 34 N 81 27 05 W *	Fl R 4s	16	3	TR-TY on pile.	(08/04)
44180	- LIGHT 139		Fl G 4s	12	4	SG-SY on pile.	(08/04)
48545	- LIGHT 64		Fl R 2.5	16	3	TR-TY on pile.	Higher intensity beam oriented down channel. (08/04)
1050	Rock Key Obstruction Daybeacon						Remove from list. * (07/04)
1565	ST. MARTINS OUTER SHOAL LIGHT 10 *	28 25 50 N 82 55 05 W	Fl R 4s	16	5	TR on dolphin..	At west point of shoal. * (07/04)
14830	- Lighted Buoy 5 *	243 30 31 N 81 48 18 W	Fl G 4s		4	Green.	At edge of shoal. * (07/04)
19970	La Costa Test Pile South Lighted Buoy		Q R			Red.	Private aid. * (07/04)
19975	La Costa Test Pile North Lighted Buoy		Q R			Red.	Private aid. * (07/04)
22320	- Lighted Buoy 16 *		Q R		4	Red.	(07/04)
45845	- LIGHT 229		Fl G 4s	12	4	SG-SY on pile.	(07/04)
45915.5	- LIGHT 240		Fl G 6s	16	4	TR-TY on pile.	(07/04)
48590	- LIGHT 69	25 44 30 N 80 11 00 W	Fl G 2.5s	16	3	SG-SY on pile.	* (07/04)
50770	- LIGHT 21		Fl G 4s	16	4	SG-SY on pile.	(07/04)
52215	- LIGHT 20		Q R	16	3	TR-TY on pile.	(07/04)
54750	- LIGHT 93	26 31 40 N 81 59 42 W	Fl G 2.5s	16	3	SG-SY on pile.	* (07/04)
55295	- LIGHT 11		Q G	16	4	SG-SY on pile.	* (07/04)
13533	Duck Key Channel Daybeacon 1 * *	24 45 46 N 80 55 27 W * *	* *	* *	* *	SG on pile.	Private aid. * (06/04)
13537	Duck Key Channel Daybeacon 3 * *	* *	* *	* *	* *	SG on pile.	Private aid. * (06/04)
10-Mar-04							4

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2003 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
13540.1	Duck Key Channel Daybeacon 5	*	*	*	*	SG on pile.	Private aid. * (06/04)
13540.2	Duck Key Channel Daybeacon 6	*	*	*	*	TR on pile.	Private aid. * (06/04)
13540.3	Duck Key Channel Daybeacon 7	*	*	*	*	SG on pile.	Private aid. * (06/04)
13540.4	Duck Key Channel Daybeacon 8	*	*	*	*	TR on pile.	Private aid. * (06/04)
13540.5	Duck Key Channel Daybeacon 10	*	*	*	*	TR on pile.	Private aid. * (06/04)
13540.6	Duck Key Channel Daybeacon 11	*	*	*	*	SG on pile.	Private aid. * (06/04)
13540.7	Duck Key Channel Daybeacon 12	*	*	*	*	TR on pile.	Private aid. * (06/04)
13540.8	Duck Key Channel Daybeacon 13	*	*	*	*	SG on pile.	Private aid. * (06/04)
13540.9	Duck Key Channel Daybeacon 14	*	*	*	*	TR on pile.	Private aid. * (06/04)
13540.11	Duck Key Channel Daybeacon 16	*	*	*	*	TR on pile.	Private aid. * (06/04)
23370	- Daybeacon 5						Remove from list. * (06/04)
38440	- LIGHT 17		Fl G 4s		3 *	SG on pile.	(06/04)
43240	- LIGHT 7	28 04 30 N 80 35 54 W	Q G	12	3 *	SG on pile.	Higher intensity down channel. Obscured from 143° to 326°. (06/04)
45940	- LIGHT 4		Fl R 2.5s	13	2 *	TR-TY on pile.	(06/04)
57360	- LIGHT 24		Fl R 6s	16	4 *	TR-TY on pile.	(06/04)
57695	- LIGHT 5	27 06 18 N 82 26 48 W	Q G	16	3 *	SG-SY on pile.	(06/04)
57760	- LIGHT 13		Q G	16	3 *	SG-SY on pile.	(06/04)
8195	UPPER PALATKA LIGHT 1	29 38 36 N 81 37 30 W	Fl G 4s	12	3 *	SG on pile.	(05/04)
8395	TURKEY ISLAND LIGHT 43	29 30 00 N 81 41 00 W	Fl G 4s	16	3	SG on dolphin.	
10-Mar-04							5

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2003 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
					*		(05/04)
9730	- Buoy 1	27 51 18 N 80 27 24 W				Green can.	Private aid
	*						(05/04)
9735	- Buoy 2					Red nun.	Private aid
	*						(05/04)
9740	- Buoy 3					Green can.	Private aid
	*						(05/04)
9745	- Buoy 4					Red nun.	Private aid
	*						(05/04)
9685.5		- Entrance Channel		28 24 37 N	Fl R 4s		3
*	Red. (05/04)					Lighted Buoy 14A 80 36 09 W	
12501.25	- Daybeacon 5A					SG on pile.	Private aid
*	*	*	*	*	*	*	*
							(05/04)
12501.35	- Daybeacon 7A					SG on pile..	Private aid
*	*	*	*	*	*	*	*
							(05/04)
12501.45	- Daybeacon 9A					SG on pile..	Private aid
*	*	*	*	*	*	*	*
							(05/04)
17475	Gordon Pass North Jetty Obstruction Daybeacon	26 05 37 N 81 48 05 W				NW on pile worded. DANGER SUBMERGED ROCK.	Private aid
		*					(05/04)
17477	Gordon Pass South Jetty Obstruction Daybeacon B	26 05 28 N 81 48 11 W				NW on pile worded. DANGER SUBMERGED ROCK.	Private aid
*	*	*	*	*	*	*	*
							(05/04)
17479	Gordon Pass South Jetty Obstruction Daybeacon C	26 05 30 N 81 48 10 W				NW on pile worded. DANGER SUBMERGED ROCK.	Private aid
*	*	*	*	*	*	*	*
							(05/04)
17690	NAPLES SAILING CLUB WEST OBSTRUCTION LIGHT	26 08 18 N 81 47 24 W	Fl W 6s	8		NW on pile worded CAUTION MOORING AREA.	Private aid.
	*						(05/04)
17695	NAPLES SAILING CLUB EAST OBSTRUCTION LIGHT	26 08 18 N 81 47 18 W	Fl W 6s	8		NW on pile worded CAUTION MOORING AREA.	Private aid
	*						(05/04)
19970	La Costa Test Pile South Lighted Buoy		Q R			Red.	
	*	*	*	*	*	*	*
							(05/04)
19975	La Costa Test Pile North Lighted Buoy		Q R			Red.	
	*	*	*	*	*	*	*
							(05/04)
22305	- Lighted Buoy 13		Fl G 2.5s	4		Green.	
	*						(05/04)
23375	- Daybeacon 6						Remove from list
							*
							(04/04)
23380	- Daybeacon 7						Remove from list
							*
							(04/04)
23385	- Daybeacon 9						Remove from list
10-Mar-04							6

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2003 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
							* (04/04)
23390	- Daybeacon 10						Remove from list * (04/04)
23395	- Daybeacon 11						Remove from list * (04/04)
23400	- Daybeacon 12						Remove from list * (04/04)
23405	- Daybeacon 13						Remove from list * (04/04)
23410	- Daybeacon 14						Remove from list * (04/04)
32025	- Lighted Buoy 6		Q R		4 *	Red.	(05/04)
17690	NAPLES SAILING CLUB WEST OBSTRUCTION LIGHT *	26 08 18 N 81 47 24 W	Fl W 6s	8		NW on pile worded CAUTION MOORING AREA.	Private aid. (04/04)
17690	NAPLES SAILING CLUB EAST OBSTRUCTION LIGHT *	26 08 18 N 81 47 18 W	Fl W 6s	8		NW on pile worded CAUTION MOORING AREA.	Private aid. (04/04)
8195	UPPER PALATKA LIGHT 1	29 38 36 N 81 37 30 W	Fl G 4s	12	3 *	SG on pile.	(04/04)
8395	TURKEY ISLAND LIGHT 43	29 30 00 N 81 41 00 W	Fl G 4s	16	3 *	SG on dolphin.	(04/04)
8510	MOUNT ROYAL LIGHT 63		Fl G 4s	16	3 *	SG on dolphin.	(04/04)
8520	- LIGHT 65		Fl G 4s	16	3 *	SG on dolphin.	(04/04)
10260 46715	LAKE WORTH SOUTH LIGHT 1	26 45 55 N 80 02 57 W *	Q G	12		SG-SY on pile.	(04/04)
10960 *	Pacific Reef Daybeacon 2 *	* *	*		* *	SG on pile.	(04/04)
10965	Pacific Reef Daybeacon 3	25 22 25 N 80 09 35 W *				SG on pile.	(04/04)
23340	- LIGHT 1						Remove from list * (04/04)
23345	- Range Front Daybeacon						Remove from list * (04/04)
23350	- Range Rear Daybeacon						Remove from list * (04/04)
23355	- Daybeacon 2						Remove from list * (04/04)
23360	- Daybeacon 3						Remove from list * (04/04)

10-Mar-04

7

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2003 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
23365	- Daybeacon 4						Remove from list * (04/04)
32225	- Buoy 6 *	*			*	Red.	(04/04)
32250	- Buoy 11						Remove from list * (04/04)
32255	- Buoy 12						Remove from list * (04/04)
38353	- Daybeacon 3					SG-SY on pile. *	(04/04)
46715 10260	- LIGHT 1	26 45 55 N 80 02 57 W *	Q G	12	4	SG-SY on pile.	(04/04)
30745	- RANGE FRONT LIGHT	18 27 25 N 66 07 42 W	Q W		23		Day: Visible 0.5° each side of rangeline. Night: Visible 1.5° each side of rangeline. Lighted throughout 24 hours. * (03/04)
30750	- RANGE REAR LIGHT 720 yards, 180.5° from front light.	18 27 18 N 66 07 43 W	Oc W 4s		56		Day: Visible 0.5° each side of rangeline. Night: Visible 1.5° each side of rangeline. Lighted throughout 24 hours. * (03/04)
57680.1 *	Lemon Bay Bouy 52A *	*	*	*	*	Red nun	(03/04)
52	U S Geological Survey Lighted Buoy C	33 46 28 N 78 40 54 W *	Fl Y 4s		2	Yellow.	Private aid (02/04)
53	U S Geological Survey Lighted Buoy D	33 42 25 N 78 45 39 W *	Fl Y 4s		2	Yellow.	Private aid (02/04)
54	U S Geological Survey Lighted Buoy E	33 43 21 N 78 46 45 W *	Fl Y 4s		2	Yellow.	Private aid (02/04)
57	U S Geological Survey Lighted Buoy B	33 38 57 N 78 50 57 W *	Fl Y 4s		2	Yellow.	Private aid (02/04)
59	U S Geological Survey Lighted Buoy A	33 39 00 N 78 47 00 W *	Fl Y 4s		2	Yellow.	Private aid (02/04)
515 6030	St. Simons Lighted Whistle Buoy STS	31 02 49 N 81 14 25 W *	Mo (A) W		6	Red and white stripes with red spherical topmark.	(02/04)
1505.5 25680	CLEARWATER PASS CHANNEL LIGHT 2	27 58 07 N 82 50 18 W *	Fl R 2.5s		16 3	TR on pile.	(02/04)
6030 515	St. Simons Lighted Whistle Buoy STS	31 02 49 N 81 14 25 W *	Mo (A) W		6	Red and white stripes with red spherical topmark.	(02/04)
25680.5 1505.5	CLEARWATER PASS LIGHT 2	27 58 07 N 82 50 18 W	Fl R 2.5s		16 3	TR on pile.	

10-Mar-04

8

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2003 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
							(02/04)
32815	- Buoy 1	13 20 23 N 64 42 32 W				Green em.	Private sid (02/04)
38353	- Daybeacon 3					SG-SV on pile. On same structure as Mile Point Jetty West Daybeacon.	
*	*	*	*	*	*	*	(02/04)
3147	- Daybeacon 88A						Remove from list. (01-04)
6605	- Lighted Whistle Buoy 17		Fl G 2.5s		3	Green.	(01/04)
25680.5	CLEARWATERPASS LIGHT 2	27 58 07 N 82 50 18 W	Fl R 2.5s	16	3	TR on pile.	(01/04)

Publication—National Ocean Service—U.S. Coast Pilot 5, Atlantic Coast: Gulf of Mexico, Puerto Rico, and Virgin Islands, 2004 (31st) Edition. Change No. 16.

Coast Pilot 5 31st Ed 2004 Corrections

Page 378-Paragraph 61, lines 6-7; read:
Island Channel to the mouth of Dog River. In January 2004, the controlling depth was 6.7 feet (7.0 feet at ...
(CL 305/04)

Page 393-Paragraph 257, line 9; read:
2004, 6.2 feet (11.0 feet at midchannel) to the seaway.
(CL 302/04)

Page 394-Paragraph 269, lines 10-13; read:
vicinity of Three Rivers Road. In January 2004, the controlling depth was 9.9 feet (11.4 feet at midchannel) to Light 5, thence 2.6 feet (12.0 feet at midchannel) to Light 11, thence 10.2 feet (11.0 feet at midchannel) to the ...
(CL 303/04)

Page 446-Paragraph 20, lines 13-14; read:
marked by lights off the ends of the jetties and a lighted bell buoy about 1.7 miles S of the jetties. The channel is not well defined due to erosion and local knowledge is advised.
(CL 181/04; LL/03)